



53 America's Cup Avenue
Newport, RI 02840

Tel: 401-846-0300
Fax: 401-846-5757

e-mail: info@balticyachts.com
web address: www.balticyachts.com

NAME:	VITTFARNE	LOA:	71.45'	21.78 m
TYPE:	Sailboat - Cruiser	LWL:	52.76'	16.08 m
BUILDER:	BALTIC YACHTS	BEAM:	17.26'	5.26 m
MODEL:	CUSTOM 71 Classic Cruiser	DRAFT:	9.80/7.87'	3.70/2.40 m
DESIGNER:	Bill Dixon	I:	91.40'	27.86 m
RIG:	Cutter	J:	25.26'	7.70 m
YEAR:	1998	P:	83.66'	25.50 m
ENGINE:	YANMAR 4LH-HTE, 140 hp, 1998	E:	29.53'	9.00 m
FUEL:	1,500 liters 396 gallons stainless steel	DISPL:	29 tons	1/2 load
WATER:	800 liters 211 gallons stainless steel	BALLAST:	8 tons	
HULL MATERIAL:	Carbon/Kevlar sandwich			

ACCOMMODATIONS:

Forepeak with rails for line storage and space for sail storage; next aft to starboard is the crew cabin with high single berths, drawers and hanging lockers underneath, slide out sink under one berth, watertight access door to forepeak; opposite to port is a guest cabin with large single/small double berth, drawers underneath, lockers above, pull out pilot berth; next aft to starboard is a guest cabin with upper and lower berths, lockers and drawers; opposite to port is the guest head with separate shower stall; next aft to starboard is the large U-shaped galley; opposite to port is the master cabin with large twin berths and ensuite head and separate shower stall; next aft is the main saloon with dining area to starboard and settees and coffee table to port; next aft to starboard is the nav station; aft of the nav station is a passage/navigator's berth; opposite is the engine room.

GALLEY:

- FORCE 10 gimbaled four burner stainless steel stove with oven
- WASTE Maid BF550 garbage disposal operated off inverter
- ALPES Inox overhead extractor fan
- Stainless steel double sink with hot and cold pressure water
- Corian counter tops
- 5 cubic feet deep freezer and 10 cubic feet refrigerator with SEA FROST AC power compressors
- Cool vegetable storage locker located next to deep freezer.
- Ice maker

ELECTRONICS AND NAVIGATION EQUIPMENT:

- DYNAPLATES for SSB radio grounding and insulated backstay for antenna
- Ramert multi-function active antenna with connections for VHF, weatherfax/Navtex, SSB receiver, mobile phone, TV and Hi-fi
- AUTOHELM ST80 sailing instruments include (6) analog repeaters in helm area, (4) Masterview and (1) Maxiview repeaters at companionway and (2) Masterview repeaters in Nav station
- AUTOHELM 7000 autopilot with controls in cockpit and nav station, interfaced with dGPS and sailing instruments
- RAYTHEON 40XX radar with C.A.R.D. charting system
- (1) PHILLIPS Mark 10 and (1) AUTOHELM Dgps
- INTERFACE Probe forward sensing trace echosounder

- SAILOR modular SSB radio with T2130 - 250Watt transceiver, RE2100control panel in Nav station and AT2110 automatic antenna coupler
- SAILOR - RT2047 VHF radio
- MAGANVOX Standard 'C' satellite telex system connected to PC
- FURUNO Fax-207 weather fax including Navtex receiver
- ICOM Handheld VHF
- SESTREL Major binnacle compass
- Television - multi-standard flat screen 21 inch Bang Olufsen Beovision MX4000 type 7823
- Video - multi-standard video Bang Olufsen Beocord VX7000
- Hi-fi - Blaupunkt Munchen RD104 car CD radio in owner's cabin + 2 coaxial 16 cm. flush mount speakers

ELECTRICAL SYSTEM:

- KOHLER model 18CCFOZ, 17.5 kW generator
- (3) MASS 24-100 single phase 100 Amp battery chargers
- MASTERVOLT, IVET 13.0 single phase 13 kVA isolation transformer
- MASS 24/4500 4.5 kW. Invertor
- Service batteries: (4) 6 V/DC Absolyte 11P AGM 3-100A25 units, linked to form 24 volt with a total capacity of 1,200 Ah
- 175 Amp 24 Volt alternator for service batteries
- Engine battery: 12 V/DC gel cell type Sonnenchein Sportline
- Generator battery: 12 V/DC gel cell type Sonnenchein Sportline

DECK AND HULL:

- Carbon fiber inner skin, Kevlar outer skin, balsa sandwich. Off white hull with green stripes AWL-Grip
- Lifting ballast keel operated by LEWMAR Commander hydraulic system. Cast stainless steel foil with lead bulb
- Spade rudder, Carbon fiber including rudder stock
- Composite chainplates
- Teak decks
- Mahogany deckhouse
- Recessed anchor locker with LEWMAR 3000 hydraulic windlass
- Swim platform in transom, hydraulically operated
- GOIOT hatches
- HOOD Pompanette stainless steel opening portlights
- HOOD Pompanette stainless steel Dorade vents

RIG:

- OMOHUNDRO triple spreader Carbon Fiber mast, boom, spinnaker pole
- NAVTEC discontinous rod rigging
- (2) NAVTEC A70MF central hydraulic panels operating backstay tesnioner, outhaul, boom vang, (2) halyard tensioners and inner forstay tesnioner
- RECKMANN RF-3 hydraulic roller furling headstay
- RECKMANN RF-2 hydraulic furling cutter stay

WINCHES by LEWMAR:

- | | | | |
|------------------------------|-----|-------------|-----------|
| • Primaries | (2) | L - 88 HSST | hydraulic |
| • Secondaries | (2) | L - 88 HSST | hydraulic |
| • Mainsheet | (2) | L - 77 HSST | hydraulic |
| • Halyards and control lines | (2) | L - 66 HSST | hydraulic |

MECHANICAL AND ENGINE EQUIPMENT:

- YANMAR 4LH-HTE, 140 hp main engine with AQUADRIVE 20830 gear box and Hydrodrive Maxi 2 S-drive and GORI 26 inch 3 bladed folding propeller
- Greywater tank 250 litres with KUBLER level sensor
- Blackwater tank 160 litres with KUBLER level sensor
- MAX Power R 315/4 dual propeller electro-hydraulic swing retractable bow thruster
- LEWMAR Commander 5 hydraulic power pack
- WHITLOCK Mamba steering system with self aligning roller bearings
- H.R.O. 10/1300 watermaker
- ENMENIA Sparmeister 800 front opening 220 AC washer/drier
- MICROFLUSH LF-219 toilets
- WHALE Gusher 25 manual bilge pump
- GILKES J40 electric bilge pump
- GILKES 150/475M belt driven bilge pump off main engine PTO
- CONDARIA, PCWM/FCL 7501 reverse cycle air conditioner/heater 30,000 btu with separate fan coils in each cabin
- 24 Volt HELLA Turbo fans in each cabin

OTHER:

- BAUER Utilus 10 dive compressor
- All deck hardware LEWMAR Ocean series
- Carbon fiber gangway
- Mahogany/teak side boarding ladder
- 50 kg BRUCE anchor with 100 meters chain
- Fortress aluminium FX40 folding anchor with 5 meters chain and 100 meters rode
- Fortress kedge/storm anchor FX85 with 5 meters chain and 100 meters rode
- FORCE 10 "classic" propane gas cabin heater in saloon
- (2) 6 person Autoflug ALK LR vacuum packed liferafts in valise stowed under helm seats with EPIRB
- Man overboard modules, life vests, flares etc. to highest standards
- Mooring lines, fenders, winch handles, snatch blocks, bosun's chair, flag pole etc, etc.

REMARKS:

LOCATION:

PRICE:

Details are thought to be reliable but are not guaranteed. Offer subject to change, prior sale and tax when applicable. Measurements in U.S. and Metric units.